

NOVATEC®

QUALITY • PERFORMANCE • RELIABILITY

PRECISION PERFORMANCE, UNLIMITED POTENTIAL!

2027 CATALOGUE

WWW.NOVATECWHEELS.COM

ABOUT

For over 55 years, **Joy Industrial Co., Ltd** has been dedicated to the manufacturing of high-quality bicycle hubs. Headquartered in Daya, Taiwan since 1985, we have expanded our global production network with additional factories in Shenzhen, Kunshan, Xiamen, and Taizhou to meet the evolving demands of the cycling industry.

Since 1989, our mid- to high-end brand **Novatec** has delivered reliable, high-performance products trusted by leading bicycle brands worldwide. With capabilities ranging from hub manufacturing to complete OEM wheelset production, we provide comprehensive solutions from design and engineering to global support.

In 2023, we introduced **Novatec Premium (NP)** — the culmination of years of collaboration with world-class athletes and engineers. Designed for the fastest riders and the toughest conditions, the NP series represents our commitment to innovation, performance, and exceptional value.

President Tate Chen

MILESTONE

1977 — 01
成立 永裕工業社
Founded Yongyu Industrial Co.



1976 — 02
創立 JOYTECH
更名久裕興業(股)公司
Established JOYTECH.



1981 — 03
設置豐原廠，更名久裕工業(股)公司
Set up Fengyuan Factory. Renamed as Joy Industrial Co., Ltd.

04
1986

成立久裕集團總部，設置大雅廠
Set up Joy Group's headquarters & Daya Factory.



05
1989

創立 NOVATEC 品牌
Established NOVATEC.

06
1993

成立久裕交通器材(深圳)公司
Formed Joy Industrial (Shenzhen) Co., Ltd.



07
1998

成立久裕車料(昆山)公司
Formed Joy Cycle Parts (Kunshan) Co., Ltd.



08
2004

加入 A-TEAM
Joined A-TEAM.

09
2005

全面推動 3T (TPS/TQM/TPM)
Comprehensively promoted 3T (TPS/TQM/TPM).

TPS
TQM
TPM

10
2011

成立歐美子公司 / 成立諾飛客品牌
Set up US/EU subsidiaries / Established NOVATEC China.

诺飞客

11
2013

成立 FACTOR 品牌，推廣高端修補市場
Established FACTOR. Promoted high-end aftermarket.

FACTOR

12
2014

登入興櫃電機股 4559
Listed in emerging markets, Electro-mechanics sector, No. 4559.

股號
4559

13
2016

成立泰州久裕精密工業
Set up Taizhou Factory.



14
2019

台灣新總部正式啟用
Joytech opens new Taiwan headquarters.



15
2020

泰州久裕正式營運
Commenced operation of Taizhou factory.



16
2021

成立研發三處、導入自動化
Built R&D center & Integrated automation.



17
2022

加入自行車永續聯盟 BAS
Joined the Bicycling Alliance for Sustainability (BAS).

BICYCLING ALLIANCE FOR SUSTAINABILITY

18
2023

成立 NOVATEC PREMIUM / 溫室氣體盤查
Built Novatec Premium brand / Carbon footprint monitoring.

NOVATEC

QUALITY . RELIABILITY . PERFORMANCE

TABLE OF

CONTENT


HUBS 07


ROAD RIM BRAKE	P07
ROAD DISC/GRAVEL	P10
MTB	P13
E-MTB	P19
E-CARGO	P21
DOWNHILL	P23
FAT BIKE	P25
DIRT JUMP	P27
BMX	P29
TRACK BIKE	P31
CITY BIKE	P33
FOLDING BIKE	P37

05
PRODUCT MATRIX

06
TECHNOLOGY HUBS

42
TECHNOLOGY WHEELS





WHEELS 38

ROAD RIM BRAKE

ALLOY:-

- JETFLY P42

ROAD DISC

CARBON:-

PRO / PRO+

- R3 DISC GEN5 P44
- R4 DISC GEN5 P45
- R5 DISC GEN5 P46
- R6 DISC GEN2 P48
- R8 DISC GEN1 P49

GRAVEL

CARBON:- NEW

- G29 P52

MTB

ALUMINUM:- NEW

- M30A-29” / 32” P54
- DEMON XL P55
- DIABLO XL P56
- CRISP P57

PARTS 58

QUICK RELEASES P59
TECHNOLOGY P61
AM PACKAGING P63
CASSETTE BODY SYSTEM P65
WHEELSET SPEC 2026 P67


CREDIT 69

GLOBAL P69
CREDIT P71

PRODUCT MATRIX

PRO+	PREMIUM LEVEL CARBON/ ALLOY SEALED BEARING PRODUCTS
PRO	HIGH LEVEL SEALED BEARINGS PRODUCTS
TEAM	MID LEVEL SEALED BEARINGS PRODUCTS
ELITE	ENTRY LEVEL SEALED BEARINGS PRODUCTS
CLUB	ENTRY LEVEL LOOSE BALL PRODUCTS

SP	STRAIGHT PULL HUBS
SL	SUPER LIGHT J-BEND HUBS
S	STANDARD J-BEND HUBS



TECHNOLOGY

TA-TSE
2 OR 3 PAWLS WITH 15T LOOSE BALL THROUGH AXLE CASSETTE BODY

TSE
2 OR 3 PAWLS WITH 15T LOOSE BALL CASSETTE BODY

TSBT
2 OR 3 PAWLS WITH 15T SEALED BEARING CASSETTE BODY

TA-TSB
2 OR 3 PAWLS WITH 15T SEALED BEARING THROUGH AXLE CASSETTE BODY

A327
3 PAWLS WITH 27T
2 SEALED BEARINGS
ID12 CASSETTE BODY

B427
4 PAWLS WITH 27T
2 SEALED BEARINGS
ID15 CASSETTE BODY

B2-427
4 PAWLS WITH 27T 2 SEALED BEARINGS ID15 LIGHT WEIGHT CASSETTE BODY

E440
4 PAWLS WITH 40T 2 SEALED BEARINGS ID17 CASSETTE BODY

R660
6 PAWLS WITH 60T 2 SEALED BEARINGS ID17 CASSETTE BODY

SEALED BEARING
TOP QUALITY JAPANESE BEARING, ENSURING THE NOVATEC WHEELS ROLL FAST & FRICTION-FREE

UPGRADED
DESIGN UPGRADED FROM PREVIOUS VERSION

REPLACEABLE BEARING
DOUBLE & QUAD BEARING CONFIGURATION ARE REPLACEABLE SHOULD THEY WEAR OUT-NOT THAT WE EXPECT THAT TO HAPPEN

A.B.G
ANTI BITE GUARD IS A REINFORCED STEEL RIB INTEGRATED INTO AN ALLOY CASSETTE BODY SPLINES TO MITIGATED DAMAGE

LRD
FOR BMX SPECIALLY DESIGNED RATCHET RING ALLOWS INTERCHANGE BETWEEN RIGHT AND LEFT SIDE DRIVE

2 IN 1
ALLOWS FOR EASIER INTERCHANGE BETWEEN CASSETTE AND DRIVE UNIT

3 IN 1
ALLOWING CONVERSION BETWEEN STANDARD
QR, 12, 15

4 IN 1
ALLOWING CONVERSION BETWEEN STANDARD
QR, 9, 15/20 FRONT AXLES
QR, 10, 12 & X12 REAR AXLES

SHIMANO MICRO SPLINE 13S
SHIMANO MICRO SPLINE 13S FREEHUB BODY COMPATIBLE

SRAM XD
SRAM XD FREEHUB BODY COMPATIBLE

SRAM XDR
SRAM XDR FREEHUB BODY COMPATIBLE

CAMPAGNOLO EKAR-13S
CAMPAGNOLO EKAR 13S FREEHUB BODY COMPATIBLE

DRS
DUAL RATCHET SYSTEM

NEW

DRS+

Dynamic Ratchet System

ROAD RIM BRAKE



SP-PRO
AS511SB

ALLOY STRAIGHT PULL HUB	
WEIGHT	77G
SEALED BEARING	2
SPOKE HOLES	20
GAUGE	14
O.L.D	100
AXLE	9
AXLE MATERIAL	ALLOY
P.C.D	31.5
F.T.F	80.4
FACTORY	TAIWAN



SP-PRO
FS522SB-HG

ALLOY STRAIGHT PULL HUB	
WEIGHT	220G
SEALED BEARING	4
SPOKE HOLES	24
GAUGE	14
O.L.D	130
AXLE	10
AXLE MATERIAL	ALLOY
P.C.D	34/47
F.T.F	67.8
OFFSET	12.7
PAWLS	4
FACTORY	TAIWAN
SRAM XDR AVAILABLE	



SL-PRO
A291SB-SL

ALLOY J-HOOK HUB	
WEIGHT	60G
SEALED BEARING	2
SPOKE HOLES	20 24 28 32
GAUGE	14 15
O.L.D	100
AXLE	9
AXLE MATERIAL	ALLOY
P.C.D	30
F.T.F	68.7
FACTORY	TAIWAN



S-TEAM
A171SB

ALLOY J-HOOK HUB	
WEIGHT	113G
SEALED BEARING	2
SPOKE HOLES	20 24 28 32
GAUGE	14 15
O.L.D	100
AXLE	9
AXLE MATERIAL	ALLOY
P.C.D	38
F.T.F	65.6
FACTORY	TAIWAN



S-ELITE
A361SBT

ALLOY J-HOOK HUB	
WEIGHT	163G
SEALED BEARING	2
SPOKE HOLES	20 24 28 32 36
GAUGE	14
O.L.D	100
AXLE	9
AXLE MATERIAL	CRMO
P.C.D	38
F.T.F	72
FACTORY	CHINA



SL-PRO
F482SB-SL-HG

ALLOY J-HOOK HUB	
WEIGHT	228G
SEALED BEARING	4
SPOKE HOLES	20 24 28 32
GAUGE	14
O.L.D	130
AXLE	10
AXLE MATERIAL	ALLOY
P.C.D	41/49
F.T.F	56.6
OFFSET	10.2
PAWLS	4
FACTORY	TAIWAN



S-TEAM
F172SB-HG

ALLOY J-HOOK HUB	
WEIGHT	272G
SEALED BEARING	4
SPOKE HOLES	20 24 28 32 36
GAUGE	14
O.L.D	130/135
AXLE	10
AXLE MATERIAL	ALLOY
P.C.D	49
F.T.F	50.6
OFFSET	130:9.85 135:7.65
PAWLS	3
FACTORY	TAIWAN



S-ELITE
F362TSBT-HG

ALLOY J-HOOK HUB	
WEIGHT	400G
SEALED BEARING	2
SPOKE HOLES	20 24 28 32 36
GAUGE	14
O.L.D	130.5 135
AXLE	10
AXLE MATERIAL	CRMO
P.C.D	45
F.T.F	49.6
OFFSET	6.3/4.3
PAWLS	2
FACTORY	CHINA



S-CLUB
A171DSE

ALLOY J-HOOK HUB	
WEIGHT	150G
SPOKE HOLES	20 24 28 32 36
GAUGE	14
O.L.D	100
AXLE	9
AXLE MATERIAL	CRMO
P.C.D	38
F.T.F	65.6
FACTORY	CHINA



S-CLUB
A173DSE

ALLOY J-HOOK HUB	
WEIGHT	194G
SPOKE HOLES	20 24 28 32
GAUGE	14
O.L.D	100
AXLE	3/8X140 145
AXLE MATERIAL	CRMO
P.C.D	38
F.T.F	72
FACTORY	CHINA



S-CLUB
F362TSE-HG


ALLOY J-HOOK HUB	
WEIGHT	408G
SPOKE HOLES	24 28 32 36
GAUGE	14
O.L.D	130 135
AXLE	10
AXLE MATERIAL	CRMO
P.C.D	45
F.T.F	51.4
OFFSET	130:9.74 135:4.6
PAWLS	2
FACTORY	CHINA



S-CLUB
F364TSE

ALLOY J-HOOK HUB	
WEIGHT	447G
SPOKE HOLES	24 28 32 36
GAUGE	14
O.L.D	130 135
AXLE	10X175 180 185
AXLE MATERIAL	CRMO
P.C.D	45
F.T.F	50.4
OFFSET	4.29
PAWLS	2
FACTORY	CHINA







ROAD DISC/ GRAVEL

NEW



SL-PRO+ D651SB-CL-12

ALLOY J-HOOK DISC HUB, CENTRE LOCK	
WEIGHT	102G
SEALED BEARING	2
SPOKE HOLES	24
GAUGE	14
O.L.D.	100
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D.	45
F.T.F	54
OFFSET	6.7
FACTORY	TAIWAN

NEW



SL-PRO+ D652RSB-CL-X12-HG

ALLOY J-HOOK DISC HUB, CENTRE LOCK	
WEIGHT	248G
SEALED BEARING	4
SPOKE HOLES	24
GAUGE	14
O.L.D.	142
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D.	45
F.T.F	51.2
OFFSET	8
TEETH	36T
FACTORY	TAIWAN

SHIMANO HG / XDR & MS AVAILABLE




SP-PRO+ NOVATEC
DS571SB-CL-12

ALLOY STRAIGHT PULL DISC HUB	
WEIGHT	95G
SEALED BEARING	2
SPOKE HOLES	24
GAUGE	14
OLD	100
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D	34
F.T.F	41.3
OFFSET	3.3
FACTORY	TAIWAN



S-PRO+ NOVATEC
D571SB-CL-12

ALLOY J-HOOK DISC HUB	
WEIGHT	145G
SEALED BEARING	2
SPOKE HOLES	24 28
GAUGE	14
OLD	100
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D	45
F.T.F	55
OFFSET	9
FACTORY	TAIWAN



SP-PRO
D411SB-12

ALLOY STRAIGHT PULL DISC HUB	
WEIGHT	85G
SEALED BEARING	2
SPOKE HOLES	24
GAUGE	14
O.L.D	100
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D	34
F.T.F	63.5
FACTORY	TAIWAN

CENTER LOCK: D411SB-CL-12

CENTER LOCK AVAILABLE



SP-PRO+ NOVATEC
DS572RSB-CL-X12-HG

ALLOY STRAIGHT PULL DISC HUB	
WEIGHT	260G
SEALED BEARING	4
SPOKE HOLES	24
GAUGE	14
OLD	142
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D	47
F.T.F	59.8
OFFSET	6.9
TEETH	18T/36T
FACTORY	TAIWAN

XDR/ MS DRIVER AVAILABLE



S-PRO+ NOVATEC
D572RSB-CL-X12-HG

ALLOY J-HOOK DISC HUB	
WEIGHT	270G
SEALED BEARING	4
SPOKE HOLES	24 28
GAUGE	14
OLD	142
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D	45
F.T.F	51.2
OFFSET	7.6
TEETH	18T/36T
FACTORY	TAIWAN

XDR/ MS DRIVER AVAILABLE



SP-PRO
D412SB-X12-HG

ALLOY STRAIGHT PULL DISC HUB	
WEIGHT	238G
SEALED BEARING	4
SPOKE HOLES	24
GAUGE	14
O.L.D	142
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D	34/46.5
F.T.F	59.8
OFFSET	6.65
PAWLS	4
FACTORY	TAIWAN

XDR/ CAMPAGNOLO EKAR 13S AVAILABLE

CENTER LOCK AVAILABLE



SL-TEAM
D791SB-12

ALLOY J-HOOK DISC HUB

WEIGHT	170G
SEALED BEARING	2
SPOKE HOLES	20 24 28
GAUGE	14
O.L.D	100
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D	58/45
F.T.F	62
OFFSET	7.7
FACTORY	TAIWAN

CENTER LOCK: D791SB-CL-12

CENTER LOCK AVAILABLE



S-ELITE
D981SB-12

ALLOY J-HOOK DISC HUB

WEIGHT	205G
SEALED BEARING	2
SPOKE HOLES	24 28
GAUGE	14
O.L.D	100
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D	58/45
F.T.F	55
OFFSET	7.7
FACTORY	CHINA

CENTER LOCK : D981SB-CL-12

CENTER LOCK AVAILABLE



SL-TEAM
D792SB-X12-A4A-HG

ALLOY J-HOOK DISC HUB

WEIGHT	290G
SEALED BEARING	4
SPOKE HOLES	24 28 32
GAUGE	14
O.L.D	142
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D	58/49
F.T.F	56.4
OFFSET	7.4
PAWLS	4
FACTORY	TAIWAN

CENTER LOCK: D792SB-CL-X12-11S
SHIMANO HG/ SRAM XDR/ MS DRIVER
CAMPAGNOLO EKAR 13S AVAILABLE

B427

CENTER LOCK AVAILABLE

13S



S-ELITE
D982TSB-X12-HG

ALLOY J-HOOK DISC HUB

WEIGHT	385G
SEALED BEARING	2
SPOKE HOLES	28 32
GAUGE	14
O.L.D	142
AXLE	12
AXLE MATERIAL	CRMO
P.C.D	58/49
F.T.F	57
OFFSET	7.2
PAWLS	2 3
FACTORY	CHINA

CENTER LOCK: D982TSB-CL-X12-HG

TA TSB

CENTER LOCK AVAILABLE



MTB



MASTER THE TRAIL

NEW



SL-PRO+ NOVATEC
D651SB-B15

ALLOY J-HOOK DISC HUB, 6 BOLTS	
WEIGHT	137
SEALED BEARING	2
SPOKE HOLES	28
GAUGE	14
O.L.D.	110
AXLE	15
AXLE MATERIAL	ALLOY
P.C.D.	58/45
F.T.F	65
OFFSET	7.2
FACTORY	TAIWAN



S-PRO NOVATEC
D571SB-CL-B15

ALLOY J-HOOK DISC HUB	
WEIGHT	155G
SEALED BEARING	2
SPOKE HOLES	32
GAUGE	14
OLD	110
AXLE	15
AXLE MATERIAL	ALLOY
P.C.D	45
F.T.F	65
OFFSET	7.2
FACTORY	TAIWAN

NEW



SL-PRO+ NOVATEC
D972RSB-B12-AA-XD

ALLOY J-HOOK DISC HUB	
WEIGHT	320G
SEALED BEARING	4
SPOKE HOLES	32
GAUGE	14
O.L D	148
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D	58
F.T.F	60.7
OFFSET	6.8
TEETH	60T/72T/90T
FACTORY	TAIWAN

HG /XD /MS DRIVER AVAILABLE

Dynamic Ratchet System

專利權：新型第 M669026 號 自行車花鼓之棘輪結構

NEW



SL-PRO+ NOVATEC
D652RSB-B12-HG

ALLOY J-HOOK DISC HUB, 6 BOLTS	
WEIGHT	280
SEALED BEARING	4
SPOKE HOLES	28
GAUGE	14
O.L.D.	148
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D.	58/49
F.T.F	56.4
OFFSET	7.6
TEETH	36T
FACTORY	TAIWAN

SHIMANO HG / XDR AVAILABLE



S-PRO NOVATEC
D572RSB-CL-B12-AS-HG

ALLOY J-HOOK DISC HUB	
WEIGHT	330G
SEALED BEARING	4
SPOKE HOLES	32
GAUGE	14
OLD	148
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D	45
F.T.F	56.4
OFFSET	7.6
TEETH	18T/36T
FACTORY	TAIWAN

XD /MS DRIVER AVAILABLE



SL-TEAM
D791SB-QR

ALLOY J-HOOK DISC HUB	
WEIGHT	197G
SEALED BEARING	2
SPOKE HOLES	20 24 28 32 36
GAUGE	14
O.L.D	100
AXLE	9
AXLE MATERIAL	ALLOY
P.C.D	58/45
F.T.F	62
OFFSET	7.7
FACTORY	TAIWAN

CENTER LOCK: D791SB-CL-QR



S-TEAM
D041SB-B15

ALLOY J-HOOK DISC HUB	
WEIGHT	217G
SEALED BEARING	2
SPOKE HOLES	28 32 36 40
GAUGE	14
O.L.D	110
AXLE	9
AXLE MATERIAL	ALLOY
P.C.D	58
F.T.F	62
OFFSET	7.2
FACTORY	TAIWAN

CENTER LOCK: D041SB-CL-B15



S-ELITE
D761SBT

ALLOY J-HOOK DISC HUB	
WEIGHT	263G
SEALED BEARING	2
SPOKE HOLES	24 28 32 36
GAUGE	13 14
O.L.D	100
AXLE	9
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	62
OFFSET	7
FACTORY	CHINA



SL-TEAM
D792SB-QR-S4S-HG

ALLOY J-HOOK DISC HUB	
WEIGHT	487G
SEALED BEARING	4
SPOKE HOLES	24 28 32
GAUGE	14
O.L.D	135
AXLE	10
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	56.4
OFFSET	7.4
PAWLS	4
FACTORY	TAIWAN

CENTER LOCK: D792SB-CL-QR-S4S-HG
XD DRIVER AVAILABLE





S-ELITE
D752TSBT-S3S-HG

ALLOY J-HOOK DISC HUB	
WEIGHT	480G
SEALED BEARING	2
SPOKE HOLES	32 36
GAUGE	13 14
O.L D	135
AXLE	10
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	55.45
OFFSET	8.3
PAWLS	3
FACTORY	CHINA

CENTER LOCK: D752TSBT-CL-S3S
CUES SYSTEM AVALIABLE

Built for the rigors of modern mountain biking, our MTB Hub Series combines instantaneous engagement with relentless durability. Featuring advanced weather sealing and optimized flange geometry, these hubs deliver the stiffness and low-friction performance needed to conquer technical descents and explosive climbs alike.



S-ELITE
D761SBT-SL

ALLOY J-HOOK DISC HUB	
WEIGHT	260G
SEALED BEARING	2
SPOKE HOLES	24/28/32/36
GAUGE	13 14
O.L.D	100
AXLE	9
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	55
OFFSET	7
PAWLS	3
FACTORY	CHINA





S-ELITE
D762TSBT-HG

ALLOY J-HOOK DISC HUB	
WEIGHT	476G
SEALED BEARING	2
SPOKE HOLES	24 28 32 36
GAUGE	13 14
O.L.D	135
AXLE	10
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	57.1
OFFSET	7.7
PAWLS	3
FACTORY	CHINA



S-TEAM
D042SB-HG

ALLOY J-HOOK DISC HUB	
WEIGHT	489G
SEALED BEARING	4
SPOKE HOLES	32 36
GAUGE	14 13
O.L.D	135
AXLE	10
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	57.1
OFFSET	7.3
PAWLS	3
FACTORY	TAIWAN



S-ELITE
D752TSBT-SL-S3S-HG

ALLOY J-HOOK DISC HUB	
WEIGHT	470G
SEALED BEARING	2
SPOKE HOLES	28/32
GAUGE	14
O.L.D	135
AXLE	10
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	55.45
OFFSET	8.3
PAWLS	3
FACTORY	CHINA
CUES SYSTEM AVALIABLE	



S-ELITE
D763SBT

ALLOY J-HOOK DISC HUB	
WEIGHT	328G
SEALED BEARING	2
SPOKE HOLES	28 32 36
GAGUGE	12 13 14
O.L.D	100
AXLE	3/8X140 145 150
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	62
OFFSET	7
FACTORY	CHINA





S-CLUB
D761DSE

ALLOY J-HOOK HUB	
WEIGHT	240G
SPOKE HOLES	24 28 32 36
GAUGE	14
O.L.D	100
AXLE	9
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	62
OFFSET	7.3
FACTORY	CHINA

CENTER LOCK: D761DSE-CL





S-CLUB
D763DSE

ALLOY J-HOOK DISC HUB	
WEIGHT	304G
SPOKE HOLES	32 36
GAUGE	13 14
O.L.D	100
AXLE	3/8X138 140 145 150 170
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	62
OFFSET	7.3
FACTORY	CHINA



S-ELITE
D764TSBT

ALLOY J-HOOK DISC HUB	
WEIGHT	523.4G
SEALED BEARING	2
SPOKE HOLES	28 32 36
GAUGE	13 14
O.L.D	135
AXLE	3/8
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	50.4
OFFSET	7.55
PAWLS	3
FACTORY	CHINA





S-CLUB
D762TSE-HG

ALLOY J-HOOK HUB	
WEIGHT	460G
SPOKE HOLES	24 28 32 36
GAUGE	14
O.L.D	135
AXLE	10
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	57.1
OFFSET	7.3
PAWLS	2
FACTORY	CHINA

CENTER LOCK: D762TSE-CL-11S






S-CLUB
D242DSE

ALLOY J-HOOK DISC HUB	
WEIGHT	330G
SPOKE HOLES	32 36
GAUGE	13 14
O.L.D	135
AXLE	10
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	58
OFFSET	7.5
FACTORY	CHINA



S-CLUB
D244DSE

ALLOY J-HOOK DISC HUB	
WEIGHT	387G
SPOKE HOLES	32 36
GAUGE	14
O.L.D	135
AXLE	3/8X165 180 185
AXLE	M10X180
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	58
OFFSET	6.9
FACTORY	CHINA



S-CLUB
D764TSE

ALLOY J-HOOK DISC HUB	
WEIGHT	495G
SPOKE HOLES	32 36
GAUGE	14
O.L.D	135
AXLE	M10X185
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	57.1
OFFSET	7.3
PAWLS	2
FACTORY	CHINA

TSE



E-MTB



NEW



SL-PRO+ NOVATEC
D651SB-B15

ALLOY J-HOOK DISC HUB, 6 BOLTS	
WEIGHT	137
SEALED BEARING	2
SPOKE HOLES	28
GAUGE	14
O.L.D.	110
AXLE	15
AXLE MATERIAL	ALLOY
P.C.D.	58/45
F.T.F	65
OFFSET	7.2
FACTORY	TAIWAN



SL-TEAM
D791SB-B15

ALLOY J-HOOK DISC HUB	
WEIGHT	170G
SEALED BEARING	2
SPOKE HOLES	28 32 36
GAUGE	14
O.L.D	110
AXLE	15
AXLE MATERIAL	ALLOY
P.C.D	58/45
F.T.F	62
OFFSET	7.7
FACTORY	TAIWAN

CENTER LOCK : D791SB-CL-B15
15X100 : D791SB-15

NEW



SL-PRO+ NOVATEC
D972RSB-B12-AA-XD

ALLOY J-HOOK DISC HUB	
WEIGHT	320G
SEALED BEARING	4
SPOKE HOLES	32
GAUGE	14
O.L D	148
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D	58
F.T.F	60.7
OFFSET	6.8
TEETH	60T/72T/90T
FACTORY	TAIWAN

HG /XD /MS DRIVER AVAILABLE

DRS Dynamic Ratchet System

專利權 : 新型第 M669026 號 自行車花鼓之棘輪結構



SL-PRO
D902SB-B12-S4S-HG

ALLOY J-HOOK DISC HUB	
WEIGHT	540G
SEALED BEARING	4
SPOKE HOLES	28 32 36
GAUGE	13 14
O.L.D	148
AXLE	12
AXLE MATERIAL	EMTB CRMO / MTB ALLOY
P.C.D	62
F.T.F	62.4
OFFSET	7.6
PAWLS	4
FACTORY	TAIWAN

XD/MS DRIVER AVAILABLE
CENTER LOCK: D902SB-CL-B12-S4S-HG



SL-ELITE
D041SB-B15

ALLOY J-HOOK DISC HUB	
WEIGHT	193G
SEALED BEARING	2
SPOKE HOLES	28 32 36
GAUGE	13 14
O.L.D	110
AXLE	15
AXLE MATERIAL	ALLOY
P.C.D	58
F.T.F	72
OFFSET	7.2
FACTORY	TAIWAN / CHINA

CENTER LOCK : D041SB-CL-B15

CENTER LOCK AVAILABLE



S-TEAM
D732TSBT-B12-S3S-HG

ALLOY J-HOOK HUB	
WEIGHT	399G
SEALED BEARING	2
SPOKE HOLES	32
GAUGE	14
O.L.D	148
AXLE	12
AXLE MAT ERIAL	CRMO
P.C.D	58
F.T.F	61.45
OFFSET	8.5
PAWLS	3
FACTORY	CHINA

CUES SYSTEM AVALIABLE



S-ELITE
D761SBT-B5

ALLOY J-HOOK HUB	
WEIGHT	338G
SEALED BEARING	2
SPOKE HOLES	28 32 36
GAUGE	14
O.L.D	110
AXLE	9
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	72
OFFSET	7.2
FACTORY	CHINA



SL-TEAM
D462SB-SL-B12-S3S-MS

ALLOY J-HOOK DISC HUB	
WEIGHT	445G
SEALED BEARING	5
SPOKE HOLES	28 32 36
GAUGE	13 14
O.L.D	148
AXLE	12
AXLE MATERIAL	CRMO
P.C.D	58/49
F.T.F	64.5
OFFSET	7.5
PAWLS	3
FACTORY	TAIWAN

SHIMANO HG / XD AVAILABLE

CENTER LOCK : D462SB-CL-B12-S3S-HG



SL-TEAM
D442SB-B12-S4S-MS

ALLOY J-HOOK DISC HUB	
WEIGHT	491G(MS)
SEALED BEARING	4
SPOKE HOLES	28 32 36
GAUGE	14
O.L.D	148
AXLE	12
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	62.9
OFFSET	7.5
PAWLS	4
FACTORY	CHINA

SHIMANO HG AVAILABLE

CENTER LOCK : D442SB-CL-B12-S4S-HG



S-ELITE
D762TSBT-B5-HG

ALLOY J-HOOK HUB	
WEIGHT	560G
SPOKE HOLES	28 32 36
GAUGE	14
O.L.D	141
AXLE	10
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	63.4
OFFSET	7.35
PAWLS	2
FACTORY	CHINA



S-CLUB
D761DSE-B5

ALLOY J-HOOK HUB	
WEIGHT	287G
SPOKE HOLES	28 32 36
GAUGE	14
O.L.D	110
AXLE	9
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	62
OFFSET	7.2
FACTORY	CHINA



S-CLUB
D762TSE-B5-HG

ALLOY J-HOOK HUB	
WEIGHT	460G
SPOKE HOLES	32 36
GAUGE	14
O.L.D	141
AXLE	10
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	63.1
OFFSET	7.7
PAWLS	2
FACTORY	CHINA



Engineered specifically for the rigorous demands of heavy-duty utility and cargo applications, our e-cargo hubs feature reinforced axle architecture and heavy-load-rated bearings to withstand continuous high-torque output. Built with an uncompromising focus on structural integrity and long-term durability, these hubs deliver the consistent power transfer and stability required to handle substantial payloads with confidence, regardless of the terrain.

NEW



SL-PRO+
D972RSB-B12-AA-XD

ALLOY J-HOOK DISC HUB	
WEIGHT	321G
SEALED BEARING	4
SPOKE HOLES	32
GAUGE	14
O.L D	148
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D	58
F.T.F	60.7
OFFSET	6.8
TEETH	60T/72T/90T
FACTORY	TAIWAN
HG /XD /MS DRIVER AVAILABLE	

Dynamic Ratchet System

專利權 : 新型第 M669026 號 自行車花鼓之棘輪結構



SL-PRO
DC791SB-B15

ALLOY J-HOOK DISC HUB	
WEIGHT	218.5G
SEALED BEARING	2
SPOKE HOLES	32
GAUGE	13
O.L.D	110
AXLE	15
AXLE MATERIAL	ALLOY
P.C.D	44
F.T.F	58.5
OFFSET	2.7
FACTORY	TAIWAN



SL-TEAM
D791SB-B15

ALLOY J-HOOK DISC HUB	
WEIGHT	170G
SEALED BEARING	2
SPOKE HOLES	24 28 32 36
GAUGE	14
O.L.D	110
AXLE	15
AXLE MATERIAL	ALLOY
P.C.D	58/45
F.T.F	62
OFFSET	7.7
FACTORY	TAIWAN

CENTER LOCK AVAILABLE



SL-ELITE
D041SB-B15

ALLOY J-HOOK DISC HUB	
WEIGHT	193G
SEALED BEARING	2
SPOKE HOLES	28 32
GAUGE	13 14
O.L.D	110
AXLE	15
AXLE MATERIAL	ALLOY
P.C.D	58
F.T.F	72
OFFSET	7.2
FACTORY	TAIWAN / CHINA

CENTER LOCK AVAILABLE



SL-PRO
DC902SB-B12-S4S-1S

ALLOY J-HOOK DISC HUB	
WEIGHT	580.5G
SEALED BEARING	4
SPOKE HOLES	32
GAUGE	13
O.L.D	148
AXLE	12
AXLE MATERIAL	CRMO
P.C.D	62
F.T.F	68.9
OFFSET	0
PAWLS	4
FACTORY	TAIWAN

COMPATIBLE WITH PINION SYSTEM BELT DRIVE



SL-PRO
D902SB-B12-S4S-HG

ALLOY J-HOOK DISC HUB	
WEIGHT	540G
SEALED BEARING	4
SPOKE HOLES	32 36
GAUGE	13 14
O.L.D	148
AXLE	12
AXLE MATERIAL	EMTB CRMO
P.C.D	62
F.T.F	62.4
OFFSET	7.6
PAWLS	4
FACTORY	TAIWAN

XD/ MS DRIVER AVAILABLE

CENTER LOCK AVAILABLE



SL-TEAM
D462SB-SL-B12-S3S-HG

ALLOY J-HOOK DISC HUB	
WEIGHT	445G
SEALED BEARING	5
SPOKE HOLES	28 32 36
GAUGE	13 14
O.L.D	148
AXLE	12
AXLE MATERIAL	CRMO
P.C.D	58/49
F.T.F	64.5
OFFSET	7.5
PAWLS	3
FACTORY	TAIWAN

XD/ MS DRIVER AVAILABLE

CENTER LOCK AVAILABLE



HUBS

DOWNHILL



SL-PRO
D951SB-SL-B20

ALLOY J-HOOK DISC HUB	
WEIGHT	220G
SEALED BEARING	2
SPOKE HOLES	28 32
GAUGE	14
O.L.D	110
AXLE	20
AXLE MATERIAL	ALLOY
P.C.D	58/49
F.T.F	64.5
OFFSET	7.2
FACTORY	TAIWAN



S-TEAM
DH61SB-HL

ALLOY J-HOOK DISC HUB	
WEIGHT	185G
SEALED BEARING	2
SPOKE HOLES	32 36
GAUGE	13 14
O.L.D	110
AXLE	20
AXLE MATERIAL	ALLOY
P.C.D	58/45
F.T.F	60
OFFSET	6
FACTORY	TAIWAN



SL-PRO
DH92SB-A4A-MS

ALLOY J-HOOK DISC HUB	
WEIGHT	393G
SEALED BEARING	5
SPOKE HOLES	32
GAUGE	14
O.L.D	157
AXLE	12
AXLE MATERIAL	ALLOY
P.C.D	62
F.T.F	71.4
OFFSET	7.6
PAWLS	4
FACTORY	TAIWAN

SHIMANO HG/ XD DRIVER AVAILABLE



FATBIKE





S-TEAM
D201SB-15

ALLOY J-HOOK HUB	
WEIGHT	235G
SEALED BEARING	2
SPOKE HOLES	32 36
GAUGE	14
O.L.D	150
AXLE	15
AXLE MATERIAL	ALLOY
P.C.D	58
F.T.F	97.5
FACTORY	TAIWAN



S-TEAM
D202SB-S4S-HG

ALLOY J-HOOK DISC HUB	
WEIGHT	510G
SEALED BEARING	5
SPOKE HOLES	32
GAUGE	14
O.L D	197
AXLE	12
AXLE MATERIAL	CRMO
P.C D	60
F.T.F	94.5
PAWLS	4
FACTORY	TAIWAN



S-ELITE
D403SBT

ALLOY J-HOOK DISC HUB	
WEIGHT	400G
SEALED BEARING	2
GAUGE	13 14
O.L.D	135
AXLE	3/8X185
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	92
OFFSET	5
SPOKE HOLES	32 36
FACTORY	CHINA



S-CLUB
D101DSE

ALLOY J-HOOK HUB	
WEIGHT	287G
SPOKE HOLES	32
GAUGE	13 14
O.L.D	135
AXLE	9
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	79
FACTORY	CHINA



S-CLUB
D103DSE

ALLOY J-HOOK HUB	
WEIGHT	348G
SPOKE HOLES	32 36
GAUGE	14
O.L.D	135
AXLE	3/8X175 180
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	79
FACTORY	CHINA



S-TEAM
D401SB-15


ALLOY J-HOOK DISC HUB	
WEIGHT	293G
SEALED BEARING	2
SPOKE HOLES	28 32 36
GAUGE	13 14
O.L D	135
AXLE	15
AXLE MATERIAL	CRMO
P.C D	58
F.T.F	85
PAWLS	5
FACTORY	CHINA
BOOST AVAILABLE	



S-CLUB
D102TSE

ALLOY J-HOOK HUB	
WEIGHT	490G
SPOKE HOLES	32
GAUGE	14
O.L.D	190
AXLE	10
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	78
OFFSET	20
PAWLS	2
FACTORY	CHINA

DIRT JUMP







SL-PRO
XD641SB-15

ALLOY J-HOOK DISC HUB	
WEIGHT	186G
SEALED BEARING	2
SPOKE HOLES	28 32
GAUGE	14
O.L.D	100
AXLE	15
AXLE MATERIAL	ALLOY
P.C.D	58
F.T.F	59.5
OFFSET	5.9
FACTORY	TAIWAN





S-TEAM
D256SBT

ALLOY J-HOOK DISC HUB	
WEIGHT	560G
SEALED BEARING	4
SPOKE HOLES	20 32 36
GAUGE	14
O.L.D	135
AXLE	M10X180 185 190
AXLE MATERIAL	CRMO
P.C.D	58
F.T.F	75.5
PAWLS	4
FACTORY	TAIWAN





SL PRO
XD262SB-A6A

ALLOY J-HOOK DISC HUB	
WEIGHT	370G
SEALED BEARING	4
SPOKE HOLES	32
GAUGE	14
O.L.D	135/142
AXLE	10/12
AXLE MATERIAL	ALLOY
P.C.D	62
F.T.F	72.9
OFFSET	0.7
PAWLS	6
FACTORY	TAIWAN
9T-DRIVER UNIT AVAILABLE	





BMX



S-TEAM
F176SBT-9T

ALLOY J-HOOK HUB	
WEIGHT	580G
SEALED BEARING	4
SPOKE HOLES	20 28 32 36 48
GAUGE	14
O.L.D	110/120
AXLE	3/8X160 165
AXLE MATERIAL	CRMO
P.C.D	49
F.T.F	57
PAWLS	4
FACTORY	TAIWAN



S-ELITE
2155SBT

ALLOY J-HOOK HUB	
WEIGHT	257G
SPOKE HOLES	28 36
GAUGE	14
O.L.D	96/100
AXLE	3/8X140 150 160
AXLE MATERIAL	CRMO
P.C.D	38
F.T.F	68
FACTORY	CHINA



S-ELITE
A075SBT

ALLOY J-HOOK HUB	
WEIGHT	440G
SEALED BEARING	2
SPOKE HOLES	36
GAUGE	14
O.L.D	100
AXLE	3/8X155 170
AXLE MATERIAL	CRMO
P.C.D	45
F.T.F	72
FACTORY	CHINA



S-CLUB
A075

ALLOY J-HOOK HUB	
WEIGHT	410G
SPOKE HOLES	36 48
GAUGE	14
O.L.D	100
AXLE	3/8X140
AXLE	M14X165
AXLE MATERIAL	CRMO
P.C.D	45
F.T.F	72
FACTORY	CHINA



S-ELITE
2156SBT

ALLOY J-HOOK HUB	
WEIGHT	312G
SPOKE HOLES	36
GAUGE	14
O.L.D	110/112/114
AXLE	3/8X180
AXLE MATERIAL	CRMO
P.C.D	43.5
F.T.F	60
FACTORY	CHINA



S-ELITE
A076SBT


ALLOY J-HOOK HUB	
WEIGHT	459G
SEALED BEARING	2
SPOKE HOLES	36
GAUGE	14
O.L.D	110
AXLE	3/8X165 180
AXLE MATERIAL	CRMO
P.C.D	45
F.T.F	58
FACTORY	CHINA



S-CLUB
A076

ALLOY J-HOOK HUB	
WEIGHT	3/8---298G
	M14---399G
SPOKE HOLES	20 36 48
GAUGE	M14
O.L.D	110
AXLE	3/8X165 175
AXLE	M14X185
AXLE MATERIAL	CRMO
P.C.D	45
F.T.F	58
FACTORY	CHINA

TRACK BIKE





S-TEAM
A165SBT

ALLOY J-HOOK HUB	
WEIGHT	186G
SEALED BEARING	2
SPOKE HOLES	28 32 36
GAUGE	14
O.L D	100
AXLE	M9X140 145
AXLE MATERIAL	CRMO
P.C D	62
F.T.F	66.8
FACTORY	TAIWAN



S-ELITE
A565SBT

ALLOY J-HOOK HUB	
WEIGHT	214G
SEALED BEARING	2
SPOKE HOLES	28 32
GAUGE	14
O.L.D	100
AXLE	M9X140 145 150 160
AXLE MATERIAL	CRMO
P.C.D	62
F.T.F	70
FACTORY	CHINA



S-CLUB
A565DSE

ALLOY J-HOOK HUB	
WEIGHT	212G
SPOKE HOLES	32
GAUGE	14
O.L.D	100
AXLE	3/8X140 145 150
AXLE MATERIAL	CRMO
P.C.D	62
F.T.F	70
FACTORY	CHINA



S-TEAM
A166SBT

ALLOY J-HOOK HUB	
WEIGHT	262G
SEALED BEARING	4
SPOKE HOLES	28 32 36
GAUGE	14
O.L D	120
AXLE	M10X165 170
AXLE MATERIAL	CRMO
P.C D	62
F.T.F	55.8
FACTORY	TAIWAN



S-ELITE
A566SBT

ALLOY J-HOOK HUB	
WEIGHT	280G
SEALED BEARING	2
SPOKE HOLES	28 32
GAUGE	14
O.L.D	120
AXLE	M10X165 170
AXLE MATERIAL	CRMO
P.C.D	62
F.T.F	60
FACTORY	CHINA




S-CLUB
A566DSE

ALLOY J-HOOK HUB	
WEIGHT	300G
SPOKE HOLES	32
GAUGE	14
O.L.D	120
AXLE	3/8X170 185
AXLE MATERIAL	CRMO
P.C.D	62
F.T.F	60
FACTORY	CHINA

CITY BIKE





S-CLUB
301

STEEL J-HOOK HUB	
WEIGHT	55L 5/16...150G
	71L 3/8...202G
SPOKE HOLES	16 20 28 36
GAUGE	14
O.L.D	93/100
AXLE	3/8X100 115 130 135 140 145
AXLE	5/16X105 115 120 135 145
AXLE MATERIAL	CRMO
P.C.D	34
F.T.F	60/71
FACTORY	CHINA



S-CLUB
431

STEEL J-HOOK HUB	
WEIGHT	188G
SPOKE HOLES	28 32 36
GAUGE	14
O.L.D	100
AXLE	9
AXLE MATERIAL	CRMO
P.C.D	38
F.T.F	56/61.5/69
FACTORY	CHINA



S-CLUB
433

STEEL J-HOOK HUB	
WEIGHT	200G
SPOKE HOLES	28 32 36
GAUGE	14
O.L.D	94/100
AXLE	3/8X135 140 145
AXLE MATERIAL	CRMO
P.C.D	38
FACTORY	CHINA



S-CLUB
511

STEEL J-HOOK HUB	
WEIGHT	459G
SPOKE HOLES	28 36
GAUGE	14
O.L.D	114
AXLE	3/8X180
AXLE MATERIAL	CRMO
P.C.D	45
F.T.F	54.5
PAWLS	2
FACTORY	CHINA




S-CLUB
432

STEEL J-HOOK HUB	
WEIGHT	332G
SPOKE HOLES	28 32 36
GAUGE	14
O.L.D	130/135
AXLE	10
AXLE MATERIAL	CRMO
P.C.D	45
F.T.F	57
FACTORY	CHINA



S-CLUB
434

STEEL J-HOOK HUB	
WEIGHT	332G
SPOKE HOLES	28 32 36
GAUGE	14
O.L.D	126/130
AXLE	3/8X170 175 180 185 190
AXLE MATERIAL	CRMO
P.C.D	45
F.T.F	57
OFFSET	6.5
FACTORY	CHINA



Designed for urban mobility, our City Bike hubs are built to keep everyday riding simple and dependable. From daily commuting to relaxed city cruising, they offer stable performance, durable construction, and smooth rolling efficiency under constant stop-and-go conditions. With clean silhouettes, practical specifications, and long-term reliability in mind, these hubs support modern city bikes where function, comfort, and everyday usability matter most.



S-CLUB
436/436DT

STEEL J-HOOK HUB	
WEIGHT	363G
SPOKE HOLES	16 20 28 36
GAUGE	14
O.L.D	112/114
AXLE	3/8X165 180 190 195 200
AXLE MATERIAL	CRMO
P.C.D	45
F.T.F	57
FACTORY	CHINA



S-CLUB
F364TSE-135

ALLOY J-HOOK HUB	
WEIGHT	447G
SPOKE HOLES	24 28 32 36
GAUGE	14
O.L.D	135
AXLE	10X175 180 185
AXLE MATERIAL	CRMO
P.C.D	45
F.T.F	50.8
OFFSET	4.29
PAWLS	2
FACTORY	CHINA



S-CLUB
751DSE

ALLOY J-HOOK HUB	
WEIGHT	153G
SPOKE HOLES	20 28 32 36
GAUGE	13 14
O.L.D	100
AXLE	9
AXLE MATERIAL	CRMO
P.C.D	38
F.T.F	72
FACTORY	CHINA



S-CLUB
753DSE

ALLOY J-HOOK HUB	
WEIGHT	196G
SPOKE HOLES	28 32 36
GAUGE	13 14
O.L.D	100
AXLE	3/8X140 145 150
AXLE	M9X140
AXLE MATERIAL	CRMO
P.C.D	38
F.T.F	72
FACTORY	CHINA



S-CLUB
823A

ALLOY J-HOOK HUB	
WEIGHT	149G
SPOKE HOLES	20 36
GAUGE	14
O.L.D	93/100
AXLE	3/8X135 140 145 150
AXLE MATERIAL	CRMO
P.C.D	34
F.T.F	64
FACTORY	CHINA



S-CLUB
752DSE

ALLOY J-HOOK HUB	
WEIGHT	268G
SPOKE HOLES	28 32 36
GAUGE	13 14
O.L.D	130/135
AXLE	10
AXLE MATERIAL	CRMO
P.C.D	45
F.T.F	57
FACTORY	CHINA



S-CLUB
754DSE

ALLOY J-HOOK HUB	
WEIGHT	301G
SPOKE HOLES	28 32 36
GAUGE	13 14
O.L.D	135
AXLE	3/8X180 185
AXLE MATERIAL	CRMO
P.C.D	45
F.T.F	57
FACTORY	CHINA



S-CLUB
756DSE

ALLOY J-HOOK HUB	
WEIGHT	332G
SPOKE HOLES	36
GAUGE	14
O.L.D	110
AXLE	3/8X155 175
AXLE MATERIAL	CRMO
P.C.D	45
F.T.F	57
FACTORY	CHINA



HUBS

FOLD BIKE



S-ELITE
A215SB

ALLOY J-HOOK HUB	
WEIGHT	112G
SEALED BEARING	2
SPOKE HOLES	20 28
GAUGE	14
O.L.D	74
AXLE	9X74
AXLE MATERIAL	CRMO
P.C.D	38
F.T.F	48
FACTORY	CHINA
LOOSE BALL AVAILABLE	



S-TEAM
A551SB

ALLOY J-HOOK DISC HUB	
WEIGHT	70G
SEALED BEARING	2
SPOKE HOLES	20 24 28
GAUGE	14
O.L.D	74
AXLE	9
AXLE MATERIAL	ALLOY
P.C.D	30
F.T.F	48.4
FACTORY	TAIWAN



S-ELITE
A011SB-BO

ALLOY J-HOOK HUB	
WEIGHT	100G
SEALED BEARING	2
SPOKE HOLES	12
GAUGE	14
O.L.D	74 82 92
AXLE	9
AXLE MATERIAL	CRMO
P.C.D	30
F.T.F	42.7
FACTORY	CHINA



S-CLUB
F552SB

ALLOY J-HOOK HUB	
WEIGHT	267.4G
SEALED BEARING	4
SPOKE HOLES	28 32 36
GAUGE	14
O.L.D	130
AXLE	10
AXLE MATERIAL	ALLOY
P.C.D	41
F.T.F	50.6
OFFSET	10.3
FACTORY	CHINA

WHEELS



Built for the ride ahead.

TECHNOLOGY



MATRISILK

REINFORCEMENT FIBERS EMBEDDED INTO THE CARBON FABRIC YIELDING A MATRIX STRUCTURE THAT INCREASES STRENGTH & FATIGUE LIFE



HYPERTOROID

OPTIMIZED CROSS-SECTIONAL SHAPE MEANS EXCELLENT FRONTAL AERODYNAMICS & MINIMIZED LATERAL TURBULENCE



TUBELESS READY

PROPRIETARY RIM PROFILE THAT IS COMPATIBLE WITH TUBELESS TIRE SYSTEMS WITHOUT THE NEED FOR LIQUID SEALANT



HAND BUILT

ASSURANCE THAT THE WHEELSET DISPLAYING THIS MARK WAS HAND BUILT & TENSIONED BY A SKILLED & DEDICATED NOVATEC EXPERT WHEEL BUILDER



SEALED BEARING

TOP QUALITY JAPANESE MADE SEALED BEARINGS ENSURE THAT NOVATEC WHEELS ROLL FAST & FRICTION-FREE

REPLACEABLE BEARINGS

DOUBLE & QUAD BEARING CONFIGURATIONS ARE REPLACEABLE SHOULD THEY WEAR OUT - NOT THAT WE EXPECT THAT TO HAPPEN

DRS

DUAL RATCHET SYSTEM

NEW

DRS+

Dynamic Ratchet System

ROAD DISC BRAKE




A balanced alloy structure delivers quick response, steady handling, and confidence under load.

ALLOY

JETFLY

- FULL ALLOY RIMS WITH MACHINED BRAKING SURFACE
- MINIMAL WEIGHT MAKES THEM CLIMB LIKE A MOUNTAIN GOAT
- UNIQUE 3-IN-1 REAR HUB FOR EASY COMPATIBILITY WITH SHIMANO, SRAM & CAMPY
- TUBELESS READY PROFILE
- DSN NIPPLES
- CLINCHER : 1,560G/PAIR





JETFLY CLINCHER



ROAD DISC



PRO+

The straight-pull hub system is built around a 12 × 100 mm front and 12 × 142 mm rear thru-axle configuration with Center Lock disc interface. A 2:1 lacing design (21H front / 24H rear) improves tension balance and structural stiffness, while Belgian Sapim spokes ensure consistent, race-proven reliability. The rear hub is compatible with both Shimano HG and SRAM XDR freehub standards.

職業版 PRO+ 1275g


競技版 PRO 1350g

CARBON I ROAD DISC

R3 DISC

- FRONT L14/R7 & REAR L8/R16, J-HOOK+STRAIGHT PULL HUB
- FULL CARBON RIM
- AN IDEAL, DO-EVERYTHING, 35MM DEEP, 21MM INNER WIDTH CARBON FIBER RIM
- HAND BUILT WITH SAPIM CX-DELTA SPOKES & ALLOY SAPIM NIPPLES
- TUBELESS READY







職業版 PRO+ 1290g


競技版 PRO 1370g

CARBON I ROAD DISC

R4 DISC

- FRONT L14/R7 & REAR L8/R16, J-HOOK/STRAIGHT PULL HUB
- FULL CARBON RIM
- AN IDEAL, DO-EVERYTHING, 45MM DEEP, 21MM INNER WIDTH CARBON FIBER RIM
- HAND BUILT WITH SAPIM CX-DELTA SPOKES & ALLOY SAPIM NIPPLES
- TUBELESS READY





CLINCHER



職業版 PRO+ 1315g


競技版 PRO 1390g

CARBON I ROAD DISC

R5 DISC

- FRONT L14/R7 & REAR L8/R16, J-HOOK/STRAIGHT PULL HUB
- FULL CARBON RIM
- AN IDEAL, DO-EVERYTHING, 50MM DEEP, 21MM WIDTH CARBON FIBER RIM
- HAND BUILT WITH SAPIM CX-DELTA SPOKES & ALLOY SAPIM NIPPLES
- TUBELESS READY





CLINCHER



Designed as a true do-everything road wheelset, the R Series balances aerodynamic efficiency, stiffness, and daily ride reliability. The full carbon rim profile provides stable handling at speed, while the optimized internal width supports modern tire volumes for confident cornering and comfort. Combined with a straight-pull hub system and precise spoke tension, the R Series delivers controlled power transfer and predictable performance across varied riding conditions.





職業版 PRO+ 1360g


競技版 PRO 1435g

CARBON I ROAD DISC

R6 DISC

- FRONT L14/R7 & REAR L8/R16, J-HOOK/STRAIGHT PULL HUB
- FULL CARBON RIM
- AN IDEAL, DO-EVERYTHING, 60MM DEEP, 21MM INNER WIDTH CARBON FIBER RIM
- HAND BUILT WITH SAPIM CX-DELTA SPOKES & ALLOY SAPIM NIPPLES
- TUBELESS READY





CLINCHER




職業版
PRO+ 1525g

CARBON I ROAD DISC

R8 DISC

- FRONT L14/R7 & REAR L8/R16, J-HOOK+STRAIGHT PULL HUB
- FULL CARBON RIM
- AN IDEAL, DO-EVERYTHING, 88MM DEEP, 23MM INNER WIDTH CARBON FIBER RIM
- HAND BUILT WITH SAPIM CX-DELTA SPOKES & ALLOY SAPIM NIPPLES
- TUBELESS READY





CLINCHER





Built for sustained speed and pacing stability, the R8 Clincher is engineered for time trial and triathlon racing. The 88 mm deep rim profile minimizes aerodynamic drag, while the 23 mm internal width supports modern tires for controlled handling over long distances. A straight-pull hub system paired with a J-hook rim and optimized lacing (Front L14/R7, Rear L8/R16) ensures efficient power transfer and consistent tension. Hand built with Sapim CX-Delta spokes and Sapim nipples, the R8 delivers reliable performance from the opening kilometers to the final push. Tubeless ready for race-day efficiency.



GRAVEL


Designed for mixed terrain and long-distance control, the gravel wheelset prioritizes stability, durability, and predictable handling. The wider internal rim profile supports high-volume tires for improved traction and comfort on rough surfaces, while a reinforced hub and spoke system maintains stiffness under load. Hand built with high-quality spokes and precise tensioning, the wheelset delivers reliable performance across gravel, dirt, and broken pavement — ride after ride.


CARBON

NEW

G29

- 35MM DEEP, 29MM INNER WIDTH CARBON RIM
- ONLY IN 12X100 / 12X142MM, CENTER LOCK
- J-HOOK HUB, AVAILABLE IN SHIMANO HG / SRAM XDR / MS
- TUBELESS READY PROFILE
- MAXIMUM RIDER WEIGHT 120KGS
- CLINCHER: 1,390G/PAIR









MTB

Built to withstand hard hits and demanding trails, this MTB wheelset delivers controlled handling, structural strength, and dependable performance under real-world riding conditions.

M30A-29" 2450g M30A-32" 2415g

ALUMINUM

NEW


M30A 29" / 32"

- WHEEL 30MM INNER WIDTH
- STRONG ALUMINUM RIMS & CAN WITH STAND HARD OFF ROAD ABUSE
- DSN NIPPLES
- TUBELESS READY, HOOK
- AVAILABLE ONLY IN BOOST SPACING
- COMPATIBLE WITH HG, XD & MICRO SPLINE




M30A-29"





CLINCHER

M30A-29"



CLINCHER

M30A-32"



M30A-32"


27.5" 2110g | 29" 2205g

ALUMINUM

DEMON XL

- BOOST ONLY FRONT AND REAR HUB
- 30MM INNER WIDTH
- ENDURO PLUS 35MM WIDTH
- TUBELESS READY MICROPEENED RIM PROFILE
- HEAT CURED GRAPHICS ARE LIGHT & CAN WITHSTAND HARD OFF ROAD ABUSE
- BRASS NIPPLES





CLINCHER





29"	2135g	27.5"	2045g


ALUMINUM



DIABLO XL
29" + 27.5"

- BOOST ONLY FRONT AND REAR HUB
- 30MM INNER WIDTH
- ENDURO PLUS 35MM WIDTH
- TUBELESS READY MICROPEENED RIM PROFILE
- HEAT CURED GRAPHICS ARE LIGHT & CAN WITHSTAND HARD OFF ROAD ABUSE
- DSN NIPPLES





CLINCHER




ALUMINUM

CRISP

- 26MM INNER WIDTH
- EXTERNAL 32MM WIDTH
- TUBELESS READY MICROPEENED RIM PROFILE
- HEAT CURED GRAPHICS ARE LIGHT & CAN WITHSTAND HARD OFF ROAD ABUSE
- BRASS NIPPLES
- CRISP 26”: 2,540G/PAIR





CLINCHER



CRISP 26”

PARTS

QUICK RELEASE

MOLD	OLD	PITCH	B+-1	THREAD LENGTH	WITH NUT	SYSTEM
ROAD (TA12)	100	M12XP1.5	120	12		
		M12XP1.5	121.5	13.5		SHIMANO
		M12XP1.5	125	16		SRAM
		M15XP1.5	125	16		SRAM
	142	M12XP1.5	163.5	13.5		SHIMANO
MTB (TA15) (TA12)	100	M14XP1.5	145	16	✓	FOX
		M15XP1.5	150	20		SRAM
	142	M12XP1.5	165	18		SHIMANO
		M12XP1.0	166	20	✓	SYNTACE
						DTSWISS
		M12XP1.75	167	20		SRAM
		M12XP1.5	170	18	✓	SHIMANO
		M12XP1.5	172	18	✓	SHIMANO
		M12XP1.75	174	20		SRAM
	148	M12XP1.5	178	18	✓	SHIMANO
		M12XP1.75	180	20		SRAM
FAT BIKE (TA15) (TA12)	150	M15XP1.5	199	12		ROCKSHOX
	197	M12XP1.5	227	18	✓	SHIMANO
		M12XP1.75	229	20		SRAM

STANDARD

QR270

F53 G R58 G



STANDARD

QR279

F47G R52G



TA

TA12A7

43G



TA

TA15A7

56G



STANDARD

QR249
F40G R45G



STANDARD

QR216
F32G R37G



STANDARD

QR273
F50G R55G



M 9/ M 10

QR279
F78G R109G



THRU-QR

QR264
F79G R93G



THRU-QR

QR269
F64G R76G



TA

QR278
47G



LEVER and TA

FP TOOL LEVER
L19G TA33G



MULTI AXLE SYSTEM-FRONT

1 FOUR

MULTI AXLE SYSTEM QR / 09 / 12 / 15

FOUR IN ONE SYSTEM, ALLOWING CONVERSION BETWEEN QR, 09, 12 & 15 AXLES FOR FRONT HUBS. MOST VARIABLE SYSTEM FOR WIDE RANGE OF USING EASY INTERCHANGEABLE PARTS.



MULTI AXLE SYSTEM-REAR

1 FOUR

MULTI AXLE SYSTEM QR / 10 / 12 / X12

FOUR IN ONE SYSTEM, ALLOWING CONVERSION BETWEEN QR, 10, 12 & X12 AXLES FOR REAR HUBS. MOST VARIABLE SYSTEM FOR WIDE RANGE OF USING EASY INTERCHANGEABLE PARTS.



MULTI AXLE SYSTEM

1 FOUR

ALLOWING CONVERSION BETWEEN STANDARD QR, 09, 12, 15




2 IN 1 SYSTEM

1 TWO

TWO IN ONE SYSTEM FOR DIRT JUMP

TWO IN ONE SYSTEM ALLOWS FOR EASY INTERCHANGE BETWEEN FREEWHEEL AND DRIVE UNIT




LEFT - RIGHT DRIVE

1 WAY

ONE MODEL TWO SYSTEM FOR BMX

FLEXIBLE SYSTEM ALLOW YOU TO CHOICE THE NUMBER OF TEETH EASY TO CHANGE IN BETWEEN CASSETTE & DRIVE UNIT THE SYSTEM IS APPLICABLE FOR ANY REAR BMX 4SB HUB




LEFT - RIGHT DRIVE

LRD

LEFT - RIGHT DRIVE FOR BMX

LEFT- RIGHT DRIVE SYSTEM WITH SPECIAL RATCHET RINGS ALLOW YOU TO CHANGE FROM RIGHT SIDE DRIVE TO LEFT SIDE DRIVE.

TW PATENT NO : M376441 EU PATENT NO : NR202011004253.7



RIGHT SIDE DRIVE

LEFT SIDE DRIVE

COMPONENTS



SPROCKET SLS
16T, 17T, 18T
TW PATENT
NO : M377343



LOCK RING AL



WATER RESISTANT



SEAL



SEALED BEARING



SIDE CAP




SPACER



RATCHET RING
SCM415 18G



5 PAWLS FOR MTB + SPRING
4 PAWLS FOR MTB + SPRING
3 PAWLS FOR ROAD + SPRING




AM PACKAGING




SUSTAINABLE MOTION:

REVOLUTIONIZING AM PACKAGING

Your ride deserves the best, right out of the box. The 2026 Novatec AM Packaging is engineered to safeguard the intricate technology of our hubs during transit. With a minimalist aesthetic and reinforced structural integrity, our new boxing ensures that every component—from our patented DRS systems to our lightweight freehubs—arrives in race-ready condition. It's professional-grade gear, presented in professional-grade packaging.





CASSETT BODY SYSTEM

PART NUMBER	FREEHUB TYPE	HUB MODELS	MATERIALS	SYSTEM	NOTICE
P012-0048	A-327	F172SB-11S	ALLOY	SHIMANO-HG	
P012-0095				SRAM XDR	BLACK
P012-0066	B-427	F482SB-11S	ALLOY	SHIMANO-HG	W/1.5MM WASHER
		D792SB-11S			
P012-0042		D792SB-11S	STEEL		
P012-0010		F482SB-XDR	ALLOY	SRAM XDR	
P012-0251		D792SB-XDR			
P019-0013	E-440	D792SB-C13			
P019-0019		D902SB-B12-A4A-MS	ALLOY	SHIMANO-HG	W/ALLOY ALEX
P019-0026		D902SB-CL-X12-A4A-MS			
P012-0088		D902SB-B12-S4S-MS	STEEL		W/STEEL ALEX
P012-0092		D902SB-B12-11S	ALLOY	SHIMANO-HG	BLACK,W/1.5MM WASHER
P012-0096		D902SB-B12-S11		SRAM XDR	
P012-0291		D902SB-B12-11S	STEEL	SHIMANO-HG	BLACK,W/1.5MM WASHER
P012-0070	B2-427	D902SB-B12-S11		SRAM XDR	
		F482SB-SL-11S	ALLOY	SHIMANO-HG	W/1.8MM WASHER
		FS522SB-11S			
		D142SB-11S			

PART NUMBER	FREEHUB TYPE	HUB MODELS	MATERIALS	SYSTEM	NOTICE
P019-0011	F2-333	D462SB-SL-X12-MS/D162SB	STEEL	SHIMANO--HG	W/STELL ALEX
P019-0017		D462SB-SL-B12-MS/D162SB			
P012-0014		D462SB-11S/D162SB-11S		SHIMANO-HG	W/1.5MM WASHER
P012-0028		D462SB-S11/S162SB-S11		SRAM XD	6 PAWLS ENGAGEMENT
P012-0058	R-642	XD642SB-ABG	ALLOY	SHIMANO	6 PAWLS ENGAGEMENT
P012-0094		XD642SB-S11		SRAM XD	
P041-0036	TSE	D762TSE	STEEL	SHIMANO	
		F362TSE			
		F364TSE			
		D144TSE			
P041-0039		D762TSE-11S		SHIMANO-HG	
		F362TSE-11S			
		F364TSE-11S			
		D144TSE-11S			
P041-0044	TA-TSE	D952TSE-B12	STEEL	SHIMANO-HG	
P041-0037		D952TSE-B12-11S		SHIMANO-HG	
P041-0002	TSBT	D762TSBT	STEEL	SHIMANO-HG	
		F362TSBT			
P041-0043		D762TSBT-11S		SHIMANO-HG	
		F362TSBT-11S			
P041-0041	TA-TSB	D952TSB-B12	STEEL	SHIMANO-HG	
P041-0042		D982TSB-X12-11S		SHIMANO-HG	

WHEELSET SPECS

MODEL WEIGHT/PAIR	TYPE	RIM TYPE DEPTH	ETRTO ERD	INNER WIDTH EXTERNAL WIDTH	RIM FINISHING	WEIGHT FRONT / REAR CALCULATED	
R3 DISC CL-PRO_GEN5 1350G	ROAD DISC BRAKE	CLINCHER DISC CARBON 35MM	622-21 582MM*	21MM/27.7MM	UD	623G 790G	
R3 DISC CL-PRO+_GEN5 1275G	ROAD DISC BRAKE	CLINCHER DISC CARBON 35MM	622-21 562.6MM*	21MM/27.9MM	UD	623G 790G	
R4 DISC CL-PRO_GEN5 1370G	ROAD DISC BRAKE	CLINCHER DISC CARBON 45MM	622-21 562.6MM*	21MM/27.7MM	UD	678G 835G	
R4 DISC CL-PRO+_GEN5 1290G	ROAD DISC BRAKE	CLINCHER DISC CARBON 45MM	622-21 562.6MM*	21MM/27.9MM	UD	678G 835G	
R5 DISC CL-PRO_GEN5 1390G	ROAD DISC BRAKE	CLINCHER DISC CARBON 50MM	622-21 562.6MM*	21MM/27.9MM	UD	657G 827G	
R5 DISC CL-PRO+_GEN5 1315G	ROAD DISC BRAKE	CLINCHER DISC CARBON 50MM	622-21 562.6MM*	21MM/27.9MM	UD	657G 827G	
R6 DISC CL-PRO_GEN2 1435G	ROAD DISC BRAKE	CLINCHER DISC CARBON 60MM	622-21 562.6MM*	21MM/27.9MM	UD	680G 810G	
R6 DISC CL-PRO+_GEN2 1360G	ROAD DISC BRAKE	CLINCHER DISC CARBON 60MM	622-21 562.6MM*	21MM/27.9MM	UD	680G 810G	
R8 DISC CL-PRO+_GEN1 1525G	ROAD DISC BRAKE	CLINCHER DISC CARBON 88MM	622-21 562.6MM*	23MM/30MM	UD	610G 780G	
G29 DISC CL-PRO 1390G	GRAVEL	HOOK CARBON 28MM	622-21 562.6MM*	29MM/35MM	UD	623G 782G	
JETFLY 1560G	ROAD RACING/TRAINING	CLINCHER ALLOY 32MM	622-20 589.2MM*	20MM/25MM	BLACK MICRO PEEN	688G 876G	
M30A-29 2450G	MTB DISC TRAIL/ENDURO	CLINCHER ALLOY 19.5MM	622-30 584-30	30MM/35MM	BLACK MICRO PEEN	1032G 1414G	
M30A-32 2415G	MTB DISC TRAIL/ENDURO	CLINCHER ALLOY 25MM	622-30 584-30	30MM/35.2MM	BLACK MICRO PEEN	1164G 1251G	
DIABLO XL 27.5 (U2.0) 2045G	MTB DISC ENDURO	CLINCHER ALLOY 21MM	584-30 556MM*	30MM/35MM	LACK MICRO PEEN	914G 1134G	
DIABLO XL 29 (U2.0) 2135G	MTB DISC ENDURO SUPER BOOST	CLINCHER ALLOY 21MM	622-30 593.8MM*	30MM/35MM	BLACK MICRO PEEN	963G 1171G	
DEMON XL 27.5 (U2.0)-SUPER BOOST 2110G	MTB DISC SUPER BOOST	CLINCHER ALLOY 21MM	584-30 556MM*	30MM/35MM	BLACK MICRO PEEN	955G 1155G	
DEMON XL 29 (U2.0) SUPER BOOST 2205G	MTB DISC DH BOOST	CLINCHER ALLOY 21MM	622-30 593.8MM*	30MM/35MM	BLACK MICRO PEEN	1005G 1200G	
CRISP 2540G	DIRT JUMP	CLINCHER ALLOY 21MM	559-26 530.5MM*	26MM/32MM	BLACK MICRO PEEN	920G 1180G	

SPOKES NO. J-HOOK/ STRAIGHT	SPOKES TYPE	HUBS	HUB FINISHING	AXLE FRONT/REAR	CONVERTIBLE TO TUBELESS	CASSETTE	PARTS
21/24 J-HOOK	SAPIM	D571SB-SL-CL-12 / D572RSB-SL-CL-X12-HG	BLACK ANO. POLISHED	AL 12X100 AL 12X142	YES	HG / SRAM	
21/24 STRAIGHT	SAPIM	DS671SB-CL-12 / DS672RSB-CL-X12-HG	BLACK ANO. POLISHED	AL 12X100 AL 12X142	YES	HG / SRAM	VALVE EXTENDER, 4 SPARE SPOKES AND NIPPLES
21/24 J-HOOK	SAPIM	D571SB-SL-CL-12 / D572RSB-SL-CL-X12-HG	BLACK ANO. POLISHED	AL 12X100 AL 12X142	YES	HG / SRAM	
21/24 STRAIGHT	SAPIM	DS671SB-CL-12 / DS672RSB-CL-X12-HG	BLACK ANO. POLISHED	AL 12X100 AL 12X142	YES	HG / SRAM	VALVE EXTENDER, 4 SPARE SPOKES AND NIPPLES
21/24 J-HOOK	SAPIM	D571SB-SL-CL-12 / D572RSB-SL-CL-X12-HG	BLACK ANO. POLISHED	AL 12X100 AL 12X142	YES	HG / SRAM	
21/24 STRAIGHT	SAPIM	DS671SB-CL-12 / DS672RSB-CL-X12-HG	BLACK ANO. POLISHED	AL 12X100 AL 12X142	YES	HG / SRAM	VALVE EXTENDER, 4 SPARE SPOKES AND NIPPLES
21/24 J-HOOK	SAPIM	D571SB-SL-CL-12 / D572RSB-SL-CL-X12-HG	BLACK ANO. POLISHED	AL 12X100 AL 12X142	YES	HG / SRAM	
21/24 STRAIGHT	SAPIM	DS671SB-CL-12 / DS672RSB-CL-X12-HG	BLACK ANO. POLISHED	AL 12X100 AL 12X142	YES	HG / SRAM	VALVE EXTENDER, 4 SPARE SPOKES AND NIPPLES
21/24 STRAIGHT	SAPIM	DS671SB-CL-12 / DS672RSB-CL-X12-HG	BLACK ANO. POLISHED	AL 12X100 AL 12X142	YES	HG / SRAM	
24/24 STRAIGHT	PILLAR	D651SB-CL-12 / D652RSB-CL-X12-HG	BLACK ANO. POLISHED	AL 12X100 AL 12X142	YES	HG / SRAM	VALVE EXTENDER, 4 SPARE SPOKES AND NIPPLES
20/24 J-HOOK	DOUBLE BUTTED	XA561SB XF562SB	BLACK ANO. POLISHED	AL 9X108X100 AL 10X140X130	YES	HG / SRAM	4 SPARE SPOKES AND NIPPLES
32/32 J-HOOK	PILLAR	D791SB-B15 / D902SB-B12-S4S-MS	BLACK ANO. POLISHED	AL 12X100 AL 12X142	YES	HG / SRAM	4 SPARE SPOKES AND NIPPLES
32/32 J-HOOK	PILLAR	D041SB-B15 / D952SB-B12	BLACK ANO. POLISHED	AL 15X110 AL 12X148	YES	HG	4 SPARE SPOKES AND NIPPLES
32/32 J-HOOK	STAINLESS TRIPLE BUTTED	D791SB-B15 D902SB-B12	BLACK ANO. POLISHED	AL 15X110 AL 12X148	YES	HG	4 SPARE SPOKES AND NIPPLES
32/32 J-HOOK	STAINLESS TRIPLE BUTTED	D791SB-B15 D902SB-B12	BLACK ANO. POLISHED	AL 15X110 AL 12X148	YES	HG / SRAM	4 SPARE SPOKES AND NIPPLES
32/32 J-HOOK	STAINLESS TRIPLE BUTTED	XD641SB-B20 DH92SB-12X157	BLACK ANO. POLISHED	AL 20X110 AL 12X157	YES	HG / SRAM	4 SPARE SPOKES AND NIPPLES
32/32 J-HOOK	STAINLESS TRIPLE BUTTED	XD641SB-B20 DH92SB-12X157	BLACK ANO. POLISHED	AL 20X110 AL 12X157	YES	HG / SRAM	4 SPARE SPOKES AND NIPPLES
32/32 J-HOOK	PSR TRIPLE BUTTED	XD641SB XD262SB	BLACK ANO. POLISHED	AL 15X100 AL 10X135	YES		4 SPARE SPOKES AND NIPPLES



GLOBAL DISTRIBUTOR

AUSTRALIA WHEELSETS/ HUBS

BICYCLE PARTS WHOLESALE
ADDRESS : 76-80 Micro Circuit, Dandenong. Vic 3175 Australia
TEL : +61-3-9702 9044
FAX : +61-3-9702 9144
E-MAIL : sales@bicyclepartswholesale.com.au
WEB : www.bicyclepartswholesale.com.au

AUSTRIA (EU) WHEELSETS/ HUBS

SPORT HRINKOW HANDELSGESELLSCHAFT M.B.H.
ADDRESS : Haratzmüllerstraße 74, 4400 Steyr, Austria
TEL : +437 25247156
E-MAIL : alexander@hrinkow-bikes.at
WEB : www.hrinkow-bikes.at

ARGENTINA WHEELSETS

FERRARIS SRL
ADDRESS : Piedras 1321/23 (C1140ABC), Buenos Aires, Argentina
TEL : 54-11-4307-6723
FAX : 54-11-4307-6013
E-MAIL : ventas@ferrarissrl.net

CHILE WHEELSETS/ HUBS

OXFORD S.A. / OXFORD STORE
ADDRESS : Orden De Malta 1434, Providencia, Santiago, Chile
TEL : +56.22.2463-2045
EMAIL : contacto@oxford.cl / enzoe@oxford.cl
WEB : www.oxfordstore.cl

CHINA WHEELSETS/ HUBS

JOY INDUSTRIAL(SHEN ZHEN) CO., LTD.
ADDRESS : Chuang Ye Road 12, The Third Industrial Zone, Shui Tian Shi Yan Town, Bao An ShenZhen, China (518108)
TEL : +86-755-2968 4800
FAX : +86-7552968 4727
E-MAIL : szsales@joy-tech.com.tw

CZECH REP.(EU) WHEELSETS/ HUBS

CYKLOŠVEC S.R.O.
ADDRESS : Černokostelecká 1168/90, 10000 Praha 10, Czech republic
TEL : +420 382 206 440
E-MAIL : obchod@cyklosvec.cz
WEB : www.cyklosvec.cz

GERMANY (EU) WHEELSETS/ HUBS

MESSINGSCHLAGER GmbH & Co. KG
ADDRESS : Hassbergstrasse 45, D 96148 Baunach, Germany
TEL : +49-9544 944 445
FAX : +49-9544 944 440
E-MAIL : info@messingschlager.com
WEB : www.novatec.messingschlager.com

HUNGARY (EU) WHEELSETS/ HUBS

NEUZER KFT.
ADDRESS : H-2500 Esztergom, Eotvos U.48, Hungary
TEL : +36-33-500 580
FAX : +36-33-411 116
E-MAIL : info@neuzer.hu
WEB : www.neuzer-bike.hu

INDIA WHEELSETS/ HUBS

WESNAP INDIA
ADDRESS : 816/817, 8th floor, Gera's Imperium Alpha, behind Eon Free Zone Road, Kharadi, Pune, Maharashtra 411014
TEL : +91 9769175859
EMAIL : admin@wesnapindia.in
WEB : www.wesnapindia.in

INDONESIA WHEELSETS

PT BINTANG TIMUR
ADDRESS : Jl K.h.m Mansyur No.223 Jembatan Lima, Tambora, Jakarta Barat 11250, Indonesia
TEL : +6221-6300555
E-MAIL : sales@bintang-timur.com

ISAREL WHEELSETS

MOTOFAN SAHAR 2002 LTD.
ADDRESS : 17 Arie Regev ST. NATANYA 4250209 ISRAEL
TEL : +972-9-885-6602
WEB : www.moto-ofan.co.il

JAPAN WHEELSETS

YOSHIKAWA MFG. CO., LTD.
ADDRESS : 4-14-28 Gamo, Koshigaya, Saitama, 343-0838, Japan
TEL : +81-48-990-1735
FAX : +81-48-990-1736
E-MAIL : info@ysb-brake.co.jp
WEB : www.actionsports.co.jp

MALAYSIA WHEELSETS

HUAN SCHEN SDN. BHD.
ADDRESS : No.12, Jalan TIAJ 2/5, Taman Industri Alam Jaya, Bukit Cherakah, 42300 Selangor, Malaysia
TEL : +603 6038 6788
FAX : +603 6038 9788
E-MAIL : huanschen@gmail.com *or* info@huanschen.com.my
WEB : www.huanschen.com.my

NORWAY (EU) HUBS

DELER AS
ADDRESS : Hestehagen 4, 1448 DRØBAK, NORWAY
TEL : +47 64989954
E-MAIL : bascheck@deler.no
WEB : www.deler.no

POLAND (EU) WHEELSETS/ HUBS

SPEEDER
ADDRESS : Ul. Polna 5, 62-095 Murowana Goslina, Poland
TEL : +48 61 670-4047
E-MAIL : biuro@speeder.com.pl
WEB : www.speeder.com.pl

ROMANIA (EU) HUBS

DHS BIKE PARTS S.R.L.
ADDRESS : Str.Santuhalm 35A, 330004 Deva City, Romania
TEL : +40-728 285 935
E-MAIL : comenzionline@dhsbikeparts.ro
WEB : www.dhsbikeparts.ro

SINGAPORE WHEELSETS/ HUBS

THE PM CYCLES
ADDRESS : Changi Logistic Center, 19 Loyang Way #03-03, Singapore 508724
TEL : +65 6962 6982 / +65 8904 7021
E-MAIL : sales@thepmcycles.com
WEB : www.ThePmCycles.com

SLOVAKIA(EU) WHEELSETS/ HUBS

SLOGER J.S.A.
ADDRESS : Čsl.Armády 6, 93401 Levice, Slovakia
TEL : +421 915 780 867
E-MAIL : info@sloger.sk
WEB : www.sloger.sk

SOUTH KOREA WHEELSETS/ HUBS

SBI Sports
Address : B1, 668, Gaepo-ro, Gangnam-gu, Seoul, Republic of Korea
Tel : +82-02-2088-5580
Fax : +82-070-8224-5580
WEB : www.sbisports.co.kr

UKRAINE HUBS

SPORTSYSTEMS
ADDRESS : Kiev Region, Pershogo Travnja str., 49. Novi Petrivci 07354, Vyshgorod District, Ukraine
TEL : +380-44-585-7035
FAX : +380-44-585 7036
E-MAIL : vtkhoryk@sportsys.com.ua

UNITED KINGDOM HUBS & PARTS

THORN CYCLES LTD
ADDRESS : 91-93 ST JOHN STREET, TA6 5HX BRIDGWATER, SOMERSET, GB
TEL : 01278-441500
E-MAIL : SALES@SJSCYCLES.COM
WEB : WWW.SJSCYCLES.CO.UK

URUGUAY WHEELSETS/HUBS

Alkeus S.A.
ADDRESS : Rondeau 1847, Uruguay
TEL : +598 2924 9695
E-MAIL : contacto@scott-montevideo.com.uy
WEB : www.scott-montevideo.com.uy

VENEZUELA WHEELSETS/HUBS

BTW VENEZUELA,C.A.
ADDRESS : Av. Libertador Cruce Con Calle Bolivar, Valle De La Pascua, Estado Guarico, Venezuela
TEL : +58-4128022258
E-MAIL : btwvenezuela2021@gmail.com



CREDIT

CTM RACING TEAM MEDIA (COVER)

MAXIME PEYTHIEU P53

THOMAS GENON P16 P18 P23 P26 P40 P43

MAX FREDRIKSSON P29 P28

HRINKOW ADVARICS CYCLEANG TEAM P7 P39 P50

ADOBESTOCK_294919086 P39

UNSPASH P27 P33 P35

DAN SHENG-SHAN CHIANG P75 PHOTO BY KASEY CARAMES / ROBERT LOWE

LUKAS KNOPF PHOTO BY VISUALIZE_PRODUCTIONS

MERIDA x NOVATEC TEAM_諾飛客美利達 P3 P38

TOMAS LEMOINE P70





WWW.NOVATECWHEELS.COM

EUROPE

NOVATEC EU S.R.O
SADOVA 2719/3C
905 01 SENICA
SLOVAKIA
INFO@NOVATECWHEELS.EU
T: +421 948 729 699

ASIA

NOVATEC TAIWAN(HQ)
NO.508, SEC. 4,
CHANGPING ROAD, DAYA DIST.,
TAICHUNG CITY, TAIWAN 42850
SERVICE@NOVATECWHEELS.COM
T: +886 4 2568 7150

NOVATECWHEELS SHENZHEN
NO.12 CHUANGYE ROAD
THE 3RD INDUSTRIAL ZONE
SHUITIAN VILLAGE, SHIYA TOWN
BAOAN SHENZHEN, CHINA 518108
SZSALES@JOY-TECH.COM.TW
T: +86 755 2968 4588